

Table 3. Summary of Dragonfly and Damselfly Occurrence Information, Squam Lakes Watershed, New Hampshire. Page 1 of 4

Common Name	Scientific Name	Occurrence	Observed	Collected
amber-winged spreadwing	<i>Lestes eurinus</i> (Say 1839)		yes	
American emerald	<i>Cordulia shurtleffi</i> (Scudder 1866)	fairly common	yes	
American rubyspot	<i>Hetaerina americana</i> (Fabricius 1788)			
arrow clubtail	<i>Stylurus spiniceps</i> (Walsh 1862)			
arrowhead spiketail	<i>Cordulegaster obliqua</i> (Say 1839)			
ashy clubtail	<i>Gomphus (Gomphus) lividus</i> (Selys 1854)			
Atlantic bluet	<i>Enallagma doubledayi</i> (Selys 1876)			
aurora damsel	<i>Chromagrion conditum</i> (Selys 1876)	fairly common	yes	
azure bluet	<i>Enallagma aspersum</i> (Hagen 1861)			
banded pennant	<i>Celithemis fasciata</i> (Kirby 1889)			
band-winged meadowhawk	<i>Sympetrum semicinctum</i> (Say 1839)			
bar-winged skimmer	<i>Libellula axilena</i> (Westwood 1837)			
beaverpond baskettail	<i>Epitheca (Tetragoneuria) canis</i> (McLachlan 1886)			
beaverpond clubtail	<i>Gomphus (Gomphus) borealis</i> (Needham 1900)			
big bluet	<i>Enallagma durum</i> (Hagen 1861)			
black saddlebags	<i>Tamea lacerata</i> (Hagen 1861)			
black-shouldered spinyleg	<i>Dromogomphus spinosus</i> (Selys 1854)	uncommon	yes	
black-tipped darner	<i>Aeshna tuberculifera</i> (Walker 1908)			
blue corporal	<i>Libellula (Ladona) deplanata</i> (Rambur 1842)			
blue dasher	<i>Pachydiplax longipennis</i> (Burmeister 1839)	uncommon	yes	exuvia
blue-fronted dancer	<i>Argia apicalis</i> (Say 1839)			
boreal bluet	<i>Enallagma boreale</i> (Selys 1875)		yes	
brook snaketail	<i>Ophiogomphus aspersus</i> (Morse 1895)			
brush-tipped emerald	<i>Somatochlora walshii</i> (Scudder 1866)			
calico pennant	<i>Celithemis elisa</i> (Hagen 1861)	fairly common	yes	
Canada darner	<i>Aeshna canadensis</i> (Walker 1908)	common	yes	exuvia
Carolina saddlebags	<i>Tamea carolina</i> (Linnaeus 1763)			
chalk-fronted corporal	<i>Libellula (Ladona) julia</i> (Uhler 1857)	abundant	yes	adult
cherry-faced meadowhawk	<i>Sympetrum internum</i> (Montgomery 1943)		yes	
citrine forktail	<i>Ischnura hastata</i> (Say 1839)			
clamp-tipped emerald	<i>Somatochlora tenebrosa</i> (Say 1839)			
cobra clubtail	<i>Gomphus (Gomphurus) vastus</i> (Walsh 1862)			
comet darner	<i>Anax longipes</i> (Hagen 1861)	uncommon	yes	
common baskettail	<i>Epitheca (Tetragoneuria) cynosura</i> (Say 1839)	common	yes	larva
common green darner	<i>Anax junius</i> (Drury 1770)	common	yes	
common sanddragon	<i>Progomphus obscurus</i> (Rambur 1842)			
common spreadwing	<i>Lestes disjunctus australis</i>			
common spreadwing	<i>Lestes disjunctus disjunctus</i> (Selys 1862)			
common whitetail	<i>Libellula (Plathemis) lydia</i> (Drury 1770)	abundant	yes	larva
crimson-ringed whiteface	<i>Leucorrhinia glacialis</i> (Hagen 1890)			
cyrano darner	<i>Nasiaeschna pentacantha</i> (Rambur 1842)			
delta-spotted spiketail	<i>Cordulegaster diastatops</i> (Selys 1854)			
dot-tailed whiteface	<i>Leucorrhinia intacta</i> (Hagen 1861)	common	yes	larva
dragonhunter	<i>Hagenius brevistylus</i> (Selys 1854)	uncommon	yes	larva
dusky clubtail	<i>Gomphus spicatus</i> (Hagen in Selys 1854)	common	yes	

Table 3. Summary of Dragonfly and Damselfly Occurrence Information, Squam Lakes Watershed, New Hampshire. Page 2 of 4

Common Name	Scientific Name	Occurrence	Observed	Collected
dusky dancer	<i>Argia translata</i> (Hagen in Selys 1865)			
eastern amberwing	<i>Perithemis tenera</i> (Say 1839)			
eastern forktail	<i>Ischnura</i> (<i>Ischnura</i>) <i>verticalis</i> (Say 1839)	common	yes	
eastern pondhawk	<i>Erythemis simplicicollis</i> (Say 1839)	fairly common	yes	
eastern red damsel	<i>Amphiagrion saucium</i> (Burmeister 1839)			
ebony jewelwing	<i>Calopteryx maculata</i> (Beauvois. 1805)	common	yes	larva
elegant spreadwing	<i>Lestes inaequalis</i> (Walsh 1862)			
elfin skimmer	<i>Nannothemis bella</i> (Uhler 1857)			
emerald spreadwing	<i>Lestes dryas</i> (Kirby 1890)			
familiar bluet	<i>Enallagma civile</i> (Hagen 1861)	common	yes	
fawn darner	<i>Boyeria vinosa</i> (Say 1839)	common	yes	larva
four-spotted skimmer	<i>Libellula quadrimaculata</i> (Linnaeus 1758)	uncommon	yes	
fragile forktail	<i>Ischnura</i> (<i>Ischnuridia</i>) <i>posita</i> (Hagen 1861)			
frosted whiteface	<i>Leucorrhinia frigida</i> (Hagen 1890)	common	yes	larva
furtive forktail	<i>Ischnura prognata</i> (Hagen 1861)			
golden-winged skimmer	<i>Libellula auripennis</i> (Burmeister 1839)			
great blue skimmer	<i>Libellula vibrans</i> (Fabricius 1798)			
great spreadwing	<i>Archilestes grandis</i> (Rambur 1842)			
green-striped darner	<i>Aeshna verticalis</i> (Hagen 1861)			
Hagen's bluet	<i>Enallagma hageni</i> (Walsh 1863)	common	yes	exuvia
halloween pennant	<i>Celithemis eponina</i> (Drury 1770)			
harlequin darner	<i>Gomphaeschna furcillata</i> (Say 1839)			
harpoon clubtail	<i>Gomphus</i> (<i>Gomphus</i>) <i>descriptus</i> (Banks 1896)			
hudsonian whiteface	<i>Leucorrhinia hudsonica</i> (Selys 1850)			
Illinois river cruiser	<i>Macromia illinoensis</i> (Walsh 1862)			
lancet clubtail	<i>Gomphus</i> (<i>Gomphus</i>) <i>exilis</i> (Selys 1854)	common	yes	
lance-tipped darner	<i>Aeshna constricta</i> (Say 1839)			
least clubtail	<i>Stylogomphus albistylus</i> (Hagen in Selys 1878)			
lilypad clubtail	<i>Arigomphus furcifer</i> (Hagen in Selys 1878)			
lilypad forktail	<i>Ischnura</i> (<i>Ischnura</i>) <i>kelicotti</i> (Williamson 1898)	common	yes	
little bluet	<i>Enallagma minusculum</i> (Morse 1895)			
lyre-tipped spreadwing	<i>Lestes unguiculatus</i> (Hagen 1861)	common	yes	exuvia
Maine snaketail	<i>Ophiogomphus mainensis</i> (Packard 1863)			
marsh bluet	<i>Enallagma ebrium</i> (Hagen 1861)			
Martha's pennant	<i>Celithemis martha</i> (Williamson 1922)			
midland clubtail	<i>Gomphus</i> (<i>Gomphurus</i>) <i>fraternus</i> (Say 1839)			
mocha emerald	<i>Somatochlora linearis</i> (Hagen 1861)			
mottled darner	<i>Aeshna clepsydra</i> (Say 1839)			
moustached clubtail	<i>Gomphus adelphus</i> (Selys 1858)			
Needham's skimmer	<i>Libellula needhami</i> (Westfall 1943)			
New England bluet	<i>Enallagma laterale</i> (Morse 1895)	uncommon	yes	
northern bluet	<i>Enallagma c. cyathigerum</i> (Charpentier 1840)	fairly common	yes	
northern pygmy clubtail	<i>Lanthus parvulus</i> (Selys 1854)			
ocellated emerald	<i>Somatochlora minor</i> (Calvert 1898)			

Common Name	Scientific Name	Occurrence	Observed	Collected
orange bluet	Enallagma signatum (Hagen 1861)			
painted skimmer	Libellula semifasciata (Burmeister 1839)			
petite emerald	Dorocordulia lepida (Hagen in Selys 1871)	fairly common	yes	
powdered dancer	Argia moesta (Hagen 1861)			
prince baskettail	Epitheca (Epicordulia) princeps (Hagen 1861)	fairly common	yes	exuvia
racket-tailed emerald	Dorocordulia libera (Selys 1871)	common	yes	
Rambur's forktail	Ischnura (Ischnura) ramburii (Selys 1850)			
rapids clubtail	Gomphus (Gomphus) quadricolor (Walsh 1862)			
red-waisted whiteface	Leucorrhinia proxima (Calvert 1890)	common	yes	exuvia
ringed boghaunter	Williamsonia lintneri (Hagen in Selys 1878)			
river jewelwing	Calopteryx aequabilis (Say 1839)	fairly common	yes	
riverine clubtail	Stylurus amnicola (Walsh 1862)			
rusty snaketail	Ophiogomphus rupinsulensis (Walsh 1862)			
saffron-winged meadowhawk	Sympetrum costiferum (Hagen 1861)	fairly common	yes	
scarlet bluet	Enallagma pictum (Morse 1895)			
seaside dragonlet	Erythrodiplax berenice (Drury 1770)			
sedge sprite	Nehalennia irene (Hagen 1861)		yes	
shadow darner	Aeshna umbrosa umbrosa (Walker 1908)		yes	
skillet clubtail	Gomphus (Gomphurus) ventricosus (Walsh 1863)			
skimming bluet	Enallagma geminatum (Kellicott 1895)			
ski-tailed emerald	Somatochlora elongata (Scudder 1866)			
slaty skimmer	Libellula incesta (Hagen 1861)	fairly common	yes	
slender bluet	Enallagma traviatum (Selys 1876)			
slender spreadwing	Lestes rectangularis (Say 1839)			
southern pygmy clubtail	Lanthus vernalis (Carle 1980)			
spangled skimmer	Libellula cyanea (Fabricius 1775)	uncommon	yes	
sparkling jewelwing	Calopteryx dimidiata (Burmeister 1839)			
spatterdock darner	Aeshna mutata (Hagen 1861)			
sphagnum sprite	Nehalennia gracilis (Morse 1895)		yes	
spine-crowned clubtail	Gomphus abbreviatus (Hagen in Selys 1878)			
spiny baskettail	Epitheca (Tetragoneuria) spinigera (Selys 1871)	uncommon	yes	exuvia
spotted spreadwing	Lestes congener (Hagen 1861)			
spot-winged glider	Pantala hymenaea (Say 1839)			
springtime darner	Basiaeschna janata (Say 1839)	fairly common	yes	larva
stream bluet	Enallagma exsulans (Hagen 1861)			
stream cruiser	Didymops transversa (Say 1839)	fairly common	yes	
stygian shadowdragon	Neurocordulia yamaskanensis (Provancher 1875)	uncommon	yes ?	
superb jewelwing	Calopteryx amata (Hagen 1890)	uncommon	yes	
swamp darner	Epiaeschna heros (Fabricius 1798)			
swamp spreadwing	Lestes vigilax Hagen in (Selys 1862)	common	yes	
sweetflag spreadwing	Lestes forcipatus (Rambur 1842)			
taiga bluet	Coenagrion resolutum (Hagen in Selys 1876)			
tule bluet	Enallagma carunculatum (Morse 1895)			
turquoise bluet	Enallagma divagans (Selys 1876)			
twelve-spotted skimmer	Libellula pulchella (Drury 1770)	uncommon	yes	

Common Name	Scientific Name	Occurrence	Observed	Collected
twin-spotted spiketail	<i>Cordulegaster maculata</i> (Selys 1854)	common	yes	larva
Uhler's sundragon	<i>Helocordulia uhleri</i> (Selys 1871)			
umber shadowdragon	<i>Neurocordulia obsoleta</i> (Say 1839)			
unicorn clubtail	<i>Arigomphus villosipes</i> (Selys 1854)			
variable dancer	<i>Argia fumipennis violacea</i> (Hagen 1861)	fairly common	yes	
variable darner	<i>Aeshna interrupta interrupta</i> (Walker 1908)			
variegated meadowhawk	<i>Sympetrum corruptum</i> (Hagen 1861)			
vesper bluet	<i>Enallagma vesperum</i> (Calvert 1919)	abundant	yes	exuvia
wandering glider	<i>Pantala flavescens</i> (Fabricius 1798)			
white corporal	<i>Libellula (Ladona) exusta</i> (Say 1839)	common	yes	
white-faced meadowhawk	<i>Sympetrum obtrusum</i> (Hagen 1867)	fairly common	yes	
widow skimmer	<i>Libellula luctuosa</i> (Burmeister 1839)	uncommon	yes	
Williamson's emerald	<i>Somatochlora williamsoni</i> (Walker 1907)		yes	
yellow-legged meadowhawk	<i>Sympetrum vicinum</i> (Hagen 1861)	common	yes	
zebra clubtail	<i>Stylurus scudderi</i> (Selys 1873)			
149	TOTALS	51	54	18